


# LAMINATION SPECIALTIES INCORPORATED

## ANNOUNCES

### STEP LAP MITER CUT LAMINATIONS

<b>Step Lap Miter Cut Lamination Watts/Lb. Core Loss Data</b>			
<b>Steel Grade (Type)</b>	<b>Nom. Thickness</b>	<b>Approx. W/Lb. @ 1.5T</b>	<b>Approx. W/Lb. @ 1.7T</b>
<b>M-6</b>	<b>.014</b>	<b>0.56</b>	<b>0.8</b>
<b>M-5</b>	<b>.012</b>	<b>0.50</b>	<b>0.71</b>
<b>M-4</b>	<b>.011</b>	<b>0.46</b>	<b>0.66</b>
<b>M-3 Hi-B</b>	<b>.009</b>	<b>0.39</b>	<b>0.54</b>

<b>Core Steel Thickness Approximately</b>	<b>.007-.014"</b>
<b>Max. Steel Slit Width</b>	<b>24.0"</b>
<b>Min. Steel Slit Width</b>	<b>1.96"</b>
<b>Max. Strip Steel Length</b>	<b>137"</b>




Step Lap Miter Cut Laminations can be either stacked in individual piles or Step Lap Logs.

# LAMINATION SPECIALTIES INCORPORATED


## MITER CUT LAMINATION

### VARIATIONS


2 LEG CORE




4 LEG CORE



5 LEG CORE




3 LEG CORE



**LAMINATION SPECIALTIES INCORPORATED**  
**MITER CUT LAMINATIONS**  
**QUOTATION**

Customer Name \_\_\_\_\_ Quotation No. (LSD) \_\_\_\_\_ Date \_\_\_\_\_  
 Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_  
 Contact Name \_\_\_\_\_ Position \_\_\_\_\_ Email \_\_\_\_\_



**PACK & SHIPPING SELECTION:**



Lamination Gage \_\_\_\_\_ Lamination Grade \_\_\_\_\_ Lamination Strip Width \_\_\_\_\_ inches Sheets per Book \_\_\_\_\_ Number of Books \_\_\_\_\_  
 \*\*\*\*\* If Step Lap Miter Cut Core is needed the above information must be supplied for all different strip widths. \*\*\*\*\*  
 YOKE (A) \_\_\_\_\_ inches (B) \_\_\_\_\_ inches (X) \_\_\_\_\_ inches  
 CENTER LEG (E) \_\_\_\_\_ inches (F) \_\_\_\_\_ inches (Z) \_\_\_\_\_ inches  
 SIDE LEG (C) \_\_\_\_\_ inches (D) \_\_\_\_\_ inches (Y) \_\_\_\_\_ inches  
 WINDOW (H) \_\_\_\_\_ inches (W) \_\_\_\_\_ inches STACK \_\_\_\_\_ inches OVER LAP \_\_\_\_\_ inches